


Palmetto Health USC

MEDICAL GROUP





# **PrEP**:

### **Pre-Exposure Prophylaxis**

**RSFH Ryan White Wellness Center** Charleston, SC

SOUTH CAROLINA HIV PREP INITIATIV



HIV PRE-EXPOSURE PROPHYLAXIS (PrEP) EDUCATION TRAINING CONSULTATIVE SUPPORT CO-MANAGEMENT

Aaron O'Brien, MPH



# **PrEP:**

### Pre-Exposure Prophylaxis

RSFH Ryan White Wellness Center Charleston, SC

Aaron O'Brien, MPH

### Ryan White Wellness Center



- 7 counties of coastal SC
- Serve 980 patients
- HIV Care
- Medical Case Management
- Housing
- Peer Navigation
- Mental Health
- PrEP
- Telemedicine
- Pharmacy
- Contracted specialty care



# Highlights & Hurdles

### High Quality, High Engagement

- 94% Optimally Retained
- 92% Virally Suppressed
- 99% newly diagnosed patients are virally suppressed in 3 visits
- 140 Active PrEP patients

### **Barriers & Social Stressors**

- Disparities in viral load suppression remain
- 41% of newly diagnosed patients have AIDS
- Limited HIV/STI prevention funding
- Hospital Infrastructure + Federal Requirements






### What is PrEP?



PrEP is a new prevention method in which **people who do not have HIV** infection **take a pill daily to reduce their risk** of becoming infected.



People who use PrEP must commit to taking the drug every day and seeing their health care provider every 3 months for follow-up. PrEP can only be prescribed by a health care provider and **must be taken as directed to work.** 



www.aids.gov



# Why PrEP?

- Why not?
- We needed it in our community
- **90%**, 90%, 90%
- Access to great candidates for PrEP
- HRSA told us to
- Mad skills
- Everyone else is doing it…





CENTERS FOR DISEASE' CONTROL AND PREVENTION







National Institutes of Health



World Health Organization Health Resources & Services Administration








AMA

AMERICAN PUBLIC HEALTH ASSOCIATION For science. For action. For health.







### **PrEP** Efficacy Trial Results

•••				
Study	Population	Locations	Regimen / Results	
<b>iPrEx</b> Phase III trial that evaluated the safety and efficacy of once-daily oral Truvada to prevent HIV infection in gay men, other men who have sex with men (MSM) and transgender women. For more information: <u>www.avac.org/trial/iprex</u>	2,499 gay men, other MSM, transgender women	<ul> <li>Brazil</li> <li>Ecuador</li> <li>Peru</li> <li>South Africa</li> <li>Thailand</li> <li>US</li> </ul>	<ul> <li>Daily oral Truvada showed 44% efficacy</li> </ul>	
TDF2 Study		Botswana	Daily oral Truvada showed 62% efficacy	
Phase II/III trial that evaluated the safety of once-daily oral Truvada in heterosexual men and women.	and women			
For more information: <u>www.avac.org/trial/tdf2</u>				
Partners PrEP Study	4,758	Kenya	<ul> <li>Daily oral Truvada showed 75% efficacy</li> <li>Daily oral tenofovir showed 67% efficacy</li> </ul>	
Phase III trial that evaluated the safety and efficacy of two different strategies to prevent HIV transmission in HIV-serodiscordant couples: once-daily oral tenofovir and once-daily oral Truvada.	serodiscordant heterosexual couples	• Uganda		
For more information: <u>www.avac.org/trial/partners-prep</u>				
Bangkok Tenofovir Study (CDC 4370)	2,400 people	Thailand	Daily oral tenofovir showed 49% efficacy	
Phase II/III trial that evaluated the safety and efficacy of once-daily oral tenofovir to prevent HIV infection in people who inject drugs.	who inject drugs			
For more information: www.avac.org/trial/cdc-4370-bangkok-tenofovir-study				
FEM-PrEP	1,950 women	Kenya	Daily oral Truvada showed no effect	
Phase III trial that evaluated the safety and effectiveness of once-daily oral Truvada for HIV prevention in women.		<ul><li>South Africa</li><li>Tanzania</li></ul>		
For more information: <u>www.avac.org/trial/fem-prep</u>				
VOICE (MTN 003)	5,029 women	South Africa	<ul> <li>Daily oral tenofovir showed no effect</li> <li>Daily oral Truvada showed no effect</li> </ul>	
Phase IIb trial that evaluated the safety and effectiveness of three different strategies to prevent HIV in women: once-daily oral tenofovir, oral Truvada, and vaginal tenofovir gel.		<ul><li>Uganda</li><li>Zimbabwe</li></ul>	<ul> <li>Daily oral fruvada snowed no effect</li> <li>Daily vaginal tenofovir gel showed no effect</li> </ul>	
For more information: <u>www.avac.org/trial/mtn-003-voice</u>				




### **Program Development**


- Procedures were developed in a collaborative process including medical staff, testing personnel, peers, and management.
  - Access
  - Integrate into HIV Clinic
  - Consistent with Guidelines
  - Cost Effective
  - Patient Centered













### **Drug Assistance Program**







#### Gilead Advancing Access Co-pay Card

#### gileadcopay.com 877-505-6986

- \$3,600 max/calendar year
- No income restrictions
- Covers co-pays, deductibles and co-insurance
- Re-apply annually as needed
   US resident
- Not available for persons with Medicaid, Medicare, VA or other state/federal prescription drug programs

If pharmacy is unable to process Gilead's Co-pay Card, keep sales and pharmacy receipts. Call number on back of co-pay card. Submit paperwork for reimbursement for all refills. Some restrictions apply: terms, conditions at *gileadcopay.com*.

> FSA (flexible spending account) If employer offers an FSA, it can help cover up to \$2,550 of out-of-pocket costs.



#### Patient Access Network Foundation

panfoundation.org/hivtreatment-and-prevention 866-316-7263

- \$8,000 max/year, re-apply
- Income <500% FPL (\$60,300)</li>
- Based on taxable income (1040 line 7, 1040 EZ line 1)
- Must be insured (as listed under "YES" above)
- Covers co-pays, deductibles and co-insurance
- US resident
- Pharmacies can bill PAN Foundation directly



#### Patient Advocate Foundation (PAF)

https://www.copays.org/ diseases/hiv-aids-andprevention


- \$7,500 max/year, re-apply
- Income <400% FPL (\$48,240)</li>
- Based on taxable income (1040 line 7, 1040 EZ line 1)
- Must be insured (as listed under "YES" above)
- Covers co-pays only
- Proof of US residence (utility bill, etc.)
- Case managers available to help resolve medical cost issues (800-532-5274)

These programs may be subject to funding shortfalls, which may limit enrollment.

#### **On Medicaid?**

Medicaid should cover medical costs related to PrEP. If you encounter barriers to coverage, consult a legal advocate.







### **Common Problems**

- I am unemployed
  - Letter of support from the person providing assistance
- I get paid under the table
  - Have the employer write a letter
- I don't want to bill my insurance
  - Only works for uninsured



### **Common Issues**

- I am undocumented
  - Put all "0" in the SSN section
- Pharmacy Selection
  - The patient can pick it up at ANY local pharmacy or work with Gilead Pharmacy, Theracom
- My insurance doesn't cover Truvada
  - Submit documentation to Gilead



### Average Costs

- Approx \$1700/ year for an uninsured patient
  - Medical visits & lab costs

	Amount Billed	Adjusted	Insurance Paid	Program Paid
Insured Office Visit	\$545.20	\$367.97	\$105.02	\$153.01
Uninsured Office Visit	\$334.88	\$51.65	\$0.00	\$279.48
Combined Lab Costs	\$203.81	\$153.73	\$7.25	\$43.21



# Using our Resources

RWHAP Eligible	Other Funding Resources
Case Management/Navigator Staff	Provider/ Office Visit Costs
HIV Tests	Labwork
Testing Materials	Prescriptions
Prevention Information	Vaccines
Office Resources (Pens, Copy Machines, building)	



### ELTON JOHN AIDS FOUNDATION



## Challenges

- Ryan White Funding
- New focus for our program
- PrEP patients face same barriers
- Reaching the right people



# **Opportunities**

- Telemedicine
- Universal Opt-out HIV Testing
- Broader STD/sexual health services
- Injection Drug Users







### **Questions?**



### Aaron O'Brien, MPH

Quality & Development Manager

Ryan White Wellness Center

1481 Tobias Gadson Blvd

Charleston, SC 29407

843.402.1084

